

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9

510

Model Developer Property Table on socket://sparky:1267[\*]

File Edit 520 530 540 550 560

Pattern Name	Display Name	Description	Do Task	Pre Task	Post Task
AndSplitAndJoin			N/A	N/A	N/A
DoUndo	BillEvent		com.multiflow....	N/A	N/A
DoUndo	BillEvent		com.multiflow....	N/A	N/A
DoUndo	DHCP		branta.Signals...	N/A	N/A
DoUndo	DHCP/DDNS		branta.Signals...	N/A	N/A
<b>DoUndo</b>	<b>Email</b>		<b>branta.Signals...</b>	<b>N/A</b>	<b>N/A</b>
DoUndo	Email		branta.Signals...	N/A	N/A
DoUndo	Web		branta.Signals...	N/A	N/A
DoUndo	Web		branta.Signals...	N/A	N/A
Loop			N/A	com.multiflow....	branta.collect

Pattern

Pattern Name DoUndo Display Name Email Id DoUndo\_00h

590 Description

brants. SignalSlave {slaveId:createEmail url:"local://"} 570 580

Apply Reset

FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

Pattern Inspector, pattern: Example

File

Edit

View

Tools

Windows

Pattern Name:

Display Name

Example

Description

Id: llet\_0

Color

protocol://host:port? {ilet:aModelId key0:value0  
keyN:valueN}

Pre Task

Post Task

com.emperative.task.Core {message: apply}

Apply

Reset

802